

INITIAL STUDY

PROJECT FILE NO.: CP02-069

PROJECT DESCRIPTION: 3,550 square foot addition to an existing 7,100 square foot church.

PROJECT LOCATION: South side of Yerba Buena Road approximately 500 feet westerly of San Felipe Road (2750 Yerba Buena Rd.)

GENERAL PLAN DESIGNATION: LDR (5 DU/AC)

ZONING: A-Agriculture

SURROUNDING LAND USES: Yerba Buena Road to the north. Single-family Residential to the west. Thompson Creek riparian corridor to the south and east.

PROJECT APPLICANT'S NAME AND ADDRESS: Evergreen Valley Church, 2750 Yerba Buena Road, San José, CA 95121

DETERMINATION

On the basis of this initial study:

<input type="checkbox"/>	I find the proposed project could not have a significant effect on the environment, and a NEGATIVE DECLARATION will be prepared.
<input checked="" type="checkbox"/>	I find that although the proposed project could have a significant effect on the environment, there will not be a significant effect in this case because the project proponent has agreed to revise the project to avoid any significant effect. A MITIGATED NEGATIVE DECLARATION will be prepared.
<input type="checkbox"/>	I find the proposed project could have a significant effect on the environment, and an ENVIRONMENTAL IMPACT REPORT(EIR) is required.
<input type="checkbox"/>	I find the proposed project could have a significant effect on the environment, but at least one effect has been (1) adequately analyzed in a previous document pursuant to applicable legal standards, and (2) addressed by mitigation measures based on the previous analysis as described in the attached initial study. An EIR is required that analyzes only the effects that were not adequately addressed in a previous document.
<input type="checkbox"/>	I find that although the proposed project could have a significant effect on the environment, no further environmental analysis is required because all potentially significant effects have been (1) adequately analyzed in an earlier EIR or NEGATIVE DECLARATION pursuant to applicable standards, and (2) avoided or mitigated pursuant to that earlier EIR or NEGATIVE DECLARATION , including revisions or mitigation measures that are included in the project, and further analysis is not required.

February 24, 2003 _____
Date

Signature

Name of Preparer: John W. Baty
Phone No.: (408) 277-4576

<i>Issues</i>	<i>Potentially Significant Impact</i>	<i>Less Than Significant With Mitigation Incorporated</i>	<i>Less Than Significant Impact</i>	<i>No Impact</i>	<i>Information Sources</i>
---------------	---------------------------------------	---	-------------------------------------	------------------	----------------------------

I. AESTHETICS - Would the project:

a) Have a substantial adverse effect on a scenic vista?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1,2
b) Substantially damage scenic resources, including, but not limited to, trees, rock out-croppings, and historic buildings within a state scenic highway?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1,2
c) Substantially degrade the existing visual character or quality of the site and its surroundings?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1,2
d) Create a new source of substantial light or glare that would adversely affect day or nighttime views in the area?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1,2
e) Increase the amount of shade in public and private open space on adjacent sites?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1,2

DISCUSSION OF IMPACTS: No impacts. The proposed addition to the existing church building is located over 300 feet from the nearest public right-of-way. The addition will be architecturally integrated with the existing building.

MITIGATION MEASURES: None Required.

II. AGRICULTURE RESOURCES - Would the project:

a) Convert Prime Farmland, Unique Farmland, or Farmland of Statewide Importance (Farmland), as shown on the maps prepared pursuant to the Farmland Mapping and Monitoring Program of the California Resources Agency, to non-agricultural use?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1,3,4
b) Conflict with existing zoning for agricultural use, or a Williamson Act contract?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1,3,4
c) Involve other changes in the existing environment which, due to their location or nature, could result in conversion of Farmland, to non-agricultural use?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1,3,4

DISCUSSION OF IMPACTS: No impacts. The site is currently developed with an existing church.

MITIGATION MEASURES: None required.

III. AIR QUALITY - Would the project:

a) Conflict with or obstruct implementation of the applicable air quality plan?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1,14
b) Violate any air quality standard or contribute substantially to an existing or projected air quality violation?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1,14
c) Result in a cumulatively considerable net increase of any criteria pollutant for which the project region is classified as non-attainment under an applicable federal or state ambient air quality standard (including releasing emissions that exceed quantitative thresholds for ozone precursors)?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1,14
d) Expose sensitive receptors to substantial pollutant concentrations?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1,14
e) Create objectionable odors affecting a substantial number of people?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1,14

DISCUSSION OF IMPACTS: There will be temporary short-term air quality impacts during construction.

<i>Issues</i>	<i>Potentially Significant Impact</i>	<i>Less Than Significant With Mitigation Incorporated</i>	<i>Less Than Significant Impact</i>	<i>No Impact</i>	<i>Information Sources</i>
---------------	---	---	---	----------------------	--------------------------------

MITIGATION MEASURES: During construction, the following measures shall be incorporated to mitigate any possible significant air quality impacts.

- Water all active construction areas at least twice daily
- Cover all trucks hauling soil, sand, and other loose materials or require all trucks to maintain at least two feet of freeboard.
- Pave, apply water three times daily, or apply (non-toxic) soil stabilizers on all unpaved access roads, parking areas and staging areas at construction sites.
- Sweep daily (with water sweepers) all paved access roads, parking areas and staging areas at construction sites.
- Sweep streets daily (with water sweepers) if visible soil material is carried onto adjacent public streets.

<i>Issues</i>	<i>Potentially Significant Impact</i>	<i>Less Than Significant With Mitigation Incorporated</i>	<i>Less Than Significant Impact</i>	<i>No Impact</i>	<i>Information Sources</i>
---------------	---------------------------------------	---	-------------------------------------	------------------	----------------------------

BIOLOGICAL RESOURCES - Would the project:

a) Have a substantial adverse effect, either directly or through habitat modifications, on any species identified as a candidate, sensitive, or special status species in local or regional plans, policies, or regulations, or by the California Department of Fish and Game or U.S. Fish and Wildlife Service?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1,10,25
b) Have a substantial adverse effect on any riparian habitat or other sensitive natural community identified in local or regional plans, policies, regulations, or by the California Department of Fish and Game or U.S. Fish and Wildlife Service?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1,6,10,25
c) Have a substantial adverse effect on federally protected wetlands as defined by Section 404 of the Clean Water Act including, but not limited to, marsh, vernal pool, coastal, etc., through direct removal, filling, hydrological interruption, or other means?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1,6,25
d) Interfere substantially with the movement of any native resident or migratory fish or wildlife species or with established native resident or migratory wildlife corridors, or impede the use of native wildlife nursery sites?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1,10,25
e) Conflict with any local policies or ordinances protecting biological resources, such as a tree preservation policy or ordinance?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1,11,25
f) Conflict with the provisions of an adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved local, regional, or state habitat conservation plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1,2,25

DISCUSSION OF IMPACTS: No significant impacts. Construction is proposed to occur in areas already developed. A Biological Assessment was prepared in January 2003 by Wetlands Research Associates, Inc. Based on the results of that assessment special status wildlife and plant species are not likely to occur in the study area. The existing riparian habitat will remain unaffected by the construction of the proposed additions. There is existing development (building and paved parking lot) located between the proposed area of addition and the riparian edge. No potential jurisdictional wetlands are present on the site.

MITIGATION MEASURES: None required.

V. CULTURAL RESOURCES - Would the project:

a) Cause a substantial adverse change in the significance of an historical resource as defined in CEQA Guidelines §15064.5?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1,7,26
b) Cause a substantial adverse change in the significance of an archaeological resource pursuant to CEQA Guidelines §15064.5?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1,8,26
c) Directly or indirectly destroy a unique paleontological resource or site, or unique geologic feature?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1,8,26
d) Disturb any human remains, including those interred outside of formal cemeteries?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1,8,26

DISCUSSION OF IMPACTS: The area is in a known archaeologically sensitive area.

MITIGATION MEASURES: Pursuant to Section 7050.5 of the Health and Safety Code, and section 5097-94 of the Public Resources Code of the State of California; in the event of the discovery of human remains during construction, there shall be no further excavation or disturbance of the site or any nearby area reasonable suspected to overlie adjacent remains. The Santa Clara County Coroner shall be notified and shall make a determination as to whether the remains are Native American. If the Coroner determines that the remains are not subject to his authority, he shall notify the Native American Heritage Commission, who shall attempt to identify descendants of the deceased Native American. If no satisfactory agreement can be reached as to the disposition of the remains pursuant to State Law, then the applicant

<i>Issues</i>	<i>Potentially Significant Impact</i>	<i>Less Than Significant With Mitigation Incorporated</i>	<i>Less Than Significant Impact</i>	<i>No Impact</i>	<i>Information Sources</i>
---------------	---------------------------------------	---	-------------------------------------	------------------	----------------------------

shall re-enter the human remains and items associated with native American burials on property in a location not subject to further subsurface disturbance.

VI. GEOLOGY AND SOILS - Would the project:

a) Expose people or structures to potential substantial adverse effects, including the risk of loss, injury, or death involving:					
1) Rupture of a known earthquake fault, as described on the most recent Alquist-Priolo Earthquake Fault Zoning Map issued by the State Geologist for the area or based on other substantial evidence of a known fault? (Refer to Division of Mines and Geology Special Publication 42.)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1,5,24
2) Strong seismic ground shaking?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1,5,24
3) Seismic-related ground failure, including liquefaction?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1,5,24
4) Landslides?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1,5,24
b) Result in substantial soil erosion or the loss of topsoil?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1,5,24
c) Be located on a geologic unit or soil that is unstable, or that would become unstable as a result of the project, and potentially result in on- or off-site landslide, lateral spreading, subsidence, liquefaction or collapse?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1,5,24
d) Be located on expansive soil, as defined in Table 18-1-B of the Uniform Building Code (1994), creating substantial risks to life or property?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1,5,24
e) Have soils incapable of adequately supporting the use of septic tanks or alternative wastewater disposal systems where sewers are not available for the disposal of wastewater?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1,5,24

DISCUSSION OF IMPACTS: The project is not located in a Geologic Hazard Zone.

MITIGATION MEASURES: Standard engineering and construction techniques will be incorporated into the project to mitigate potential adverse seismic/ground failure impacts to a non-significant level.

VII. HAZARDS AND HAZARDOUS MATERIALS - Would the project:

a) Create a significant hazard to the public or the environment through the routine transport, use, or disposal of hazardous materials?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1
b) Create a significant hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1
c) Emit hazardous emissions or handle hazardous or acutely hazardous materials, substances, or waste within one-quarter mile of an existing or proposed school?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1
d) Be located on a site which is included on a list of hazardous materials sites compiled pursuant to Government Code Section 65962.5 and, as a result, would it create a significant hazard to the public or the environment?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1,12

<i>Issues</i>	<i>Potentially Significant Impact</i>	<i>Less Than Significant With Mitigation Incorporated</i>	<i>Less Than Significant Impact</i>	<i>No Impact</i>	<i>Information Sources</i>
e) For a project located within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project result in a safety hazard for people residing or working in the project area?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1,2
f) For a project within the vicinity of a private airstrip, would the project result in a safety hazard for people residing or working in the project area?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1
g) Impair implementation of, or physically interfere with, an adopted emergency response plan or emergency evacuation plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1,2
h) Expose people or structures to a significant risk of loss, injury or death involving wildland fires, including where wildlands are adjacent to urbanized areas or where residences are intermixed with wildlands?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1

DISCUSSION OF IMPACTS: No impacts. The project does not propose the use or storage of hazardous materials or toxic gases.

MITIGATION MEASURES: None required.

VIII. HYDROLOGY AND WATER QUALITY - Would the project:

a) Violate any water quality standards or waste discharge requirements?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1,15
b) Substantially deplete groundwater supplies or interfere substantially with groundwater recharge such that there would be a net deficit in aquifer volume or a lowering of the local groundwater table level (e.g., the production rate of pre-existing nearby wells would drop to a level which would not support existing land uses or planned uses for which permits have been granted)?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1
c) Substantially alter the existing drainage pattern of the site or area, including the alteration of the course of a stream or river, in a manner which would result in substantial erosion or siltation on-or off-site?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1
d) Substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river, or substantially increase the rate or amount of surface runoff in a manner that would result in flooding on-or off-site?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1
e) Create or contribute runoff water which would exceed the capacity of existing or planned stormwater drainage systems or provide substantial additional sources of polluted runoff?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1,17
f) Otherwise substantially degrade water quality?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1
g) Place housing within a 100-year flood hazard area as mapped on a Federal Flood Hazard Boundary or Flood Insurance Rate Map or other flood hazard delineation map?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1,9
h) Place within a 100-year flood hazard area structures that would impede or redirect flood flows?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1,9
i) Expose people or structures to a significant risk of loss, injury, or death involving flooding, including flooding as a result of the failure of a levee or dam?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1
j) Be subject to inundation by seiche, tsunami, or mudflow?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1

DISCUSSION OF IMPACTS: The increased amount of on-site impervious surface resulting from the project is negligible and will not substantially alter or increase the on-site runoff/drainage on the site. There will be temporary short-term water quality impacts during construction.

<i>Issues</i>	<i>Potentially Significant Impact</i>	<i>Less Than Significant With Mitigation Incorporated</i>	<i>Less Than Significant Impact</i>	<i>No Impact</i>	<i>Information Sources</i>
---------------	---	---	---	----------------------	--------------------------------

MITIGATION MEASURES: The applicant shall conform to the Non-Point Source Control requirement for storm water discharge associated with construction activity as required by the State Water Resource Control Board. . Contact the Regional Water Quality Control Board at (415) 286-0968 for further information.

The following Best Management Practices shall be implemented:

- Silt barriers, such as straw bales and silt fences or basins are installed, as necessary, downstream of the work sites to avoid or minimize water quality impacts.
- Wet sediments may be stockpiled so water can drain or evaporate before removal to minimize water quality impacts or may be stockpiled within the channel as long as decanted water is not allowed to enter the live stream.
- No fueling, cleaning, or maintenance of vehicles or equipment takes place within channel banks to avoid the release of deleterious substances into surface waters.

IX. LAND USE AND PLANNING - Would the project:

a) Physically divide an established community?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1,2
b) Conflict with any applicable land use plan, policy, or regulation of an agency with jurisdiction over the project (including, but not limited to the general plan, specific plan, local coastal program, or zoning ordinance) adopted for the purpose of avoiding or mitigating an environmental effect?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1,2
c) Conflict with any applicable habitat conservation plan or natural community conservation plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1,2

DISCUSSION OF IMPACTS: No impacts. The project is consistent with the site's San Jose 2020 General Plan Land Use/ Transportation Diagram designation of General Commercial.

MITIGATION MEASURES: None required.

<i>Issues</i>	<i>Potentially Significant Impact</i>	<i>Less Than Significant With Mitigation Incorporated</i>	<i>Less Than Significant Impact</i>	<i>No Impact</i>	<i>Information Sources</i>
---------------	---------------------------------------	---	-------------------------------------	------------------	----------------------------

MINERAL RESOURCES - Would the project:

a) Result in the loss of availability of a known mineral resource that would be of value to the region and the residents of the state?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1,2,23
b) Result in the loss of availability of a locally-important mineral resource recovery site delineated on a local general plan, specific plan or other land use plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1,2,23

DISCUSSION OF IMPACTS: No impacts. The project would not result in the loss of known mineral resources.

MITIGATION MEASURES: None required.

XI. NOISE - Would the project result in:

a) Exposure of persons to, or generation of, noise levels in excess of standards established in the local general plan or noise ordinance, or applicable standards of other agencies?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1,2,13,18
b) Exposure of persons to, or generation of, excessive groundborne vibration or groundborne noise levels?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1
c) A substantial permanent increase in ambient noise levels in the project vicinity above levels existing without the project?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1
d) A substantial temporary or periodic increase in ambient noise levels in the project vicinity above levels existing without the project?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1
e) For a project located within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project expose people residing or working in the project area to excessive noise levels?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1
f) For a project within the vicinity of a private airstrip, would the project expose people residing or working in the project area to excessive noise levels?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1

DISCUSSION OF IMPACTS: There will be temporary noise impacts resulting from construction of the project, conditions will be placed in the permit to ensure that the construction of the project is consistent with the General Plan requirements for noise levels and Zoning Ordinance for construction hours limitations.

MITIGATION MEASURES:

- Construction shall be limited to the hours of 7:00 a.m. to 7:00 p.m. Monday through Friday for any on-site or off-site work for the project.
- During construction operations, only a single piece of equipment should be allowed to operate at a time
- All construction equipment, fixed or mobile, should be in proper operating condition and fitted with standard factory silencing features. Mufflers shall be used on all heavy construction equipment.

XII. POPULATION AND HOUSING - Would the project:

a) Induce substantial population growth in an area, either directly (for example, by proposing new homes and businesses) or indirectly (for example, through extension of roads or other infrastructure)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1,2
b) Displace substantial numbers of existing housing, necessitating the construction of replacement housing elsewhere?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1
c) Displace substantial numbers of people, necessitating the construction of replacement housing elsewhere?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1

DISCUSSION IMPACTS: No impacts. The project under evaluation is consistent with the San Jose 2020 General Plan, for which an EIR was prepared and adopted under resolution numbers 65458.1 & 65459 by the San Jose City Council

<i>Issues</i>	<i>Potentially Significant Impact</i>	<i>Less Than Significant With Mitigation Incorporated</i>	<i>Less Than Significant Impact</i>	<i>No Impact</i>	<i>Information Sources</i>
---------------	---------------------------------------	---	-------------------------------------	------------------	----------------------------

on August 16, 1994. The General Plan EIR evaluated cumulative impacts to population & housing that would result from its implementation. As the project is consistent with the General Plan, it is not considered to have any additional impacts in this category beyond those addressed within the General Plan EIR

MITIGATION MEASURES: None required.

XIII. PUBLIC SERVICES - Would the project:

a) Result in substantial adverse physical impacts associated with the provision of new or physically altered governmental facilities, the need for new or physically altered governmental facilities, the construction of which could cause significant environmental impacts, in order to maintain acceptable service ratios, response times or other performance objectives for any of the public services:					
Fire Protection?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1,2
Police Protection?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1,2
Schools?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1,2
Parks?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1,2
Other Public Facilities?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1,2

DISCUSSION OF IMPACTS: No impacts. The project under evaluation is consistent with the San Jose 2020 General Plan, for which an EIR was prepared and adopted under resolution numbers 65458.1 & 65459 by the San Jose City Council on August 16, 1994. The General Plan EIR evaluated cumulative impacts to public services that would result from its implementation. As the project is consistent with the General Plan, it is not considered to have any additional impacts in this category beyond those addressed within the General Plan EIR

MITIGATION MEASURES: None required.

XIV. RECREATION

a) Would the project increase the use of existing neighborhood and regional parks or other recreational facilities such that substantial physical deterioration of the facility would occur or be accelerated?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1,2
b) Does the project include recreational facilities or require the construction or expansion of recreational facilities that might have an adverse physical effect on the environment?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1,2

DISCUSSION OF IMPACTS: No impacts.

MITIGATION MEASURES: None required.

XV. TRANSPORTATION / TRAFFIC - Would the project:

a) Cause an increase in traffic which is substantial in relation to the existing traffic load and capacity of the street system (i.e., result in a substantial increase in either the number of vehicle trips, the volume to capacity ratio of roads, or congestion at intersections)?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1,2,19
b) Exceed, either individually or cumulatively, a level of service standard established by the county congestion management agency for designated roads or highways?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1,2,19
c) Result in a change in air traffic patterns, including either an increase in traffic levels or a change in location that results in substantial safety risks?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1,19

<i>Issues</i>	<i>Potentially Significant Impact</i>	<i>Less Than Significant With Mitigation Incorporated</i>	<i>Less Than Significant Impact</i>	<i>No Impact</i>	<i>Information Sources</i>
d) Substantially increase hazards due to a design feature (e.g., sharp curves or dangerous intersections) or incompatible land uses (e.g., farm equipment)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1,19
e) Result in inadequate emergency access?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1,20
f) Result in inadequate parking capacity?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1,18
g) Conflict with adopted policies, plans, or programs supporting alternative transportation (e.g., bus turnouts, bicycle racks)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	1,2,18

DISCUSSION OF IMPACTS: No impacts.

MITIGATION MEASURES: None required.

XVI. UTILITIES AND SERVICE SYSTEMS - Would the project:

a) Exceed wastewater treatment requirements of the applicable Regional Water Quality Control Board?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1,15
b) Require or result in the construction of new water or wastewater treatment facilities or expansion of existing facilities, the construction of which could cause significant environmental effects?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1,2,21
c) Require or result in the construction of new stormwater drainage facilities or expansion of existing facilities, the construction of which could cause significant environmental effects?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1,17
d) Have sufficient water supplies available to serve the project from existing entitlements and resources, or are new or expanded entitlements needed?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1,22
e) Result in a determination by the wastewater treatment provider which serves or may serve the project that it has adequate capacity to serve the project's projected demand in addition to the provider's existing commitments?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1,21
f) Be served by a landfill with sufficient permitted capacity to accommodate the project's solid waste disposal needs?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1,21
g) Comply with federal, state, and local statutes and regulations related to solid waste?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1,21

DISCUSSION OF IMPACTS: The project under evaluation is consistent with the San Jose 2020 General Plan, for which an EIR was prepared and adopted under resolution numbers 65458.1 & 65459 by the San Jose City Council on August 16, 1994. The General Plan EIR evaluated cumulative impacts to wastewater treatment facilities, water supplies, and landfills that would result from its implementation. As the project is consistent with the General Plan, it is not considered to have any additional impacts on these service systems beyond those addressed within the General Plan EIR

MITIGATION MEASURES: None required.

XVII. MANDATORY FINDINGS OF SIGNIFICANCE

a) Does the project have the potential to (1) degrade the quality of the environment, (2) substantially reduce the habitat of a fish or wildlife species, (3) cause a fish or wildlife population to drop below self-sustaining levels, (4) threaten to eliminate a plant or animal community, (5) reduce the number or restrict the range of a rare or endangered plant or animal, or (6) eliminate important examples of the major periods of California history or prehistory?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1,10
---	--------------------------	--------------------------	-------------------------------------	--------------------------	------

<i>Issues</i>	<i>Potentially Significant Impact</i>	<i>Less Than Significant With Mitigation Incorporated</i>	<i>Less Than Significant Impact</i>	<i>No Impact</i>	<i>Information Sources</i>
b) Does the project have impacts that are individually limited, but cumulatively considerable? "Cumulatively considerable" means that the incremental effects of a project are considerable when viewed in connection with the effects of past projects and the effects of other current projects.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1,16
c) Does the project have environmental effects which will cause substantial adverse effects on human beings, either directly or indirectly?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1

DISCUSSION OF IMPACTS: All potentially significant impacts associated with the project will be reduced to less than significant levels with mitigation incorporated into the project. There will be no cumulative impacts as a result of the project.

MITIGATION MEASURES: None required.

EARLIER ANALYSIS

1. Earlier Analysis Used:
2. Impacts Adequately Addressed:
3. Mitigation Measures:

CHECKLIST REFERENCES

1. Environmental Clearance Application – File No. CP02-069
2. San Jose 2020 General Plan
3. USDA, Soil Conservation Service, Soil Survey of SC County, August 1968
4. USDA, Soil Conservation Service, Important Farmlands of SC County map, June 1979
5. State of California's Geo-Hazard maps / Alquist Priolo Fault maps
6. Riparian Corridor Policy Study 1994
7. San Jose Historic Resources Inventory
8. City of San Jose Archeological Sensitivity Maps
9. FEMA Flood Insurance Rate Map, Santa Clara County, 1986
10. California Department of Fish & Game, California Natural Diversity Database, 2001
11. City of San Jose Heritage Tree Survey Report
12. California Environmental Protection Agency Hazardous Waste and Substances Sites List, 1998
13. City of San Jose Noise Exposure Map for the 2020 General Plan
14. BAAQMD CEQA Guidelines, Bay Area Air Quality Management District. April 1996, revised 1999.
15. San Francisco Bay Regional Water Quality Control Board 1995 Basin Plan
16. Final Environmental Impact Report, City of San Jose, SJ 2020 General Plan
17. Santa Clara Valley Water District
18. City of San Jose Title 20 Zoning Ordinance
19. San Jose Department of Public Works
20. San Jose Fire Department
21. San Jose Environmental Services Department
22. San Jose Water Company, Great Oaks Water Company
23. California Division of Mines and Geology
24. Cooper Clark, San Jose Geotechnical Information Maps, July 1974
25. Biological Assessment of the Evergreen Church Property, Wetlands Research Associates, Inc, Jan. 2003.
26. Archaeological Evaluation of the Evergreen Valley Baptist Church, Archaeological Resource Service, Feb. 1986.